

**LOKAWAY**  
INNOVATIVE SECURITY



**2020 PRODUCT  
CATALOGUE**

**WORLD'S MOST ADVANCED ANTI-PRY DESIGN**

# Lokaway Swing'n'Slide, Anti Pry Safes Design Technology.

Lokaway Swing'n'Slide, the world's most revolutionary locking system, patented in over 30 countries across 6 continents worldwide, the Swing'n'Slide system is in a league of its own. Developed with years of security experience the SnS system provides the ultimate in anti-pry security. By concealing the leading door edge entirely any potential prying intrusion is immediately stopped as there is no point of access to pry the door.



Innovative locking design, concealed hinges and a thoroughly constructed product all come together to provide simple yet very secure features that combine to make the Lokaway Swing'n'Slide ranges of products as good as they are today.

Lokaway offers the consumer one of the most significant enhancements to protecting their personal items available on the market and at a price that is affordable.

The Swing'n'Slide system, although seemingly complex in its operation, is a simple and reliable system with all its strength coming from innovative design and intelligent engineering.

## Timeline

### 2003 - 2005

- Further system development -
- More development and patent refinements -
- First production facility set up in Victoria, Australia -

### 2009 - 2011

- Manufacturing/License agreement signed -
- Additional patent improvements made -
- Market share growth -
- USA & China patents granted -
- 1st Tool box samples manufactured -

### 2002

- First concept of the Swing'n'Slide system
- First working sample was made
- Patent applications submitted

### 2006 - 2008

- First patent granted
- First Australian made production models sold in Australia
- Development of Swing'n'Slide tool boxes

### 2013 - 2020

- Massive overhaul on all products for improvements
- Australian Distributor appointed for Gun Safes
- UK Distributor for Lokaway appointed
- Continued development of local and international product range
- Preparation for USA and EU expansion



# Swing 'n' Slide Design

Lokaway is designed to become a market leader due to their patented technology. The Swing'n'Slide concept is like no other design on the market and provides the best in anti-pry construction. The easy to use design and comprehensive range will provide improved security and peace of mind when locking away your valuables.

The Swing'n'Slide technology applies itself across every product and brings a new standard of quality to the industry.



## Unbeatable Innovation

With safes remaining almost unchanged for over 100 years, Lokaway has been determined to bring a new and improved product to the market.



## Pressure Point Defence

The leading edge is always the most prone point of attack, however the Swing'n'Slide design doesn't offer this weakness to potential thieves.



## Efficiency and Intelligence

Lokaway safes provide true anti-pry protection. Reinforced sides and complete edge concealment means our safes are extremely difficult and frustrating to pry open, even when using exactly the same materials as other safes.



## KEY PATENT LOCATIONS

- India
- Japan
- Mexico
- Republic of Korea
- Malaysia
- New Zealand
- Australia
- China
- Europe
- USA
- Canada
- Israel
- Russia
- Singapore
- South Africa
- Taiwan
- Argentina
- Brazil
- Indonesia

## USA PATENTS

TITLE	PATENT NUMBER	COUNTRY / JURISDICTION
Safe Construction for Swing and Slide Door	11/992504	United States of America (US)
Security Door and Frame Construction	10/530,467	United States of America (US)
Security Door and Frame Construction	12/220301	United States of America (US)
Security Box	12/737,958	United States of America (US)
Door Lock	PCT/AU17/000052	International (WO)

# KEY FEATURES

Below is a list of key features of the Lokaway range, to assist you to choose the right safe for your needs.



**Key Lock**




**Digital Lock**



**Anti Pry**



**Fire Safe**



**Bolt Size**



**Avg Capacity**



**Door Gauge**



**Body Gauge**



**Swedish**



**European**



## LB Series



**Models: LB8, LB14, LB20**

- Most advanced anti-pry design on the market
- Best value for money Lokaway safe with key locks
- 4 x mounting holes and hardware included
- Unique fixed locking bolt design
- Convertable safe design, standard digital lock with optional key cover so customer can choose to use as a key only safe.

**LB20**





For more options see pg.25/26



**LB8**



**LB14**



MODEL	SIZE (MM)			SIZE (IN)			WEIGHT		MATERIAL (MM)			MATERIAL (GA)			BOLT SIZE		AVG GUNS	FIRE	
	H	W	D	H	W	D	KGS	LBS	BODY	DOOR	SKINE	BODY	DOOR	SKINE	MM	INCH		MIN @ 1400F	SW/EN
NON FIRE SAFES																			
LB8	1400	304	304	55	12	12	40	88	1.5	2.3	-	16	13	-	-	-	7	-	-
LB14	1400	430	360	55	17	14	50	110	1.5	2.3	-	16	13	-	-	-	10	-	-
LB20	1400	540	460	55	21	18	62	137	1.5	2.3	-	16	13	-	-	-	20	-	-



# LBA Series



- Most advanced anti-pry design on the market
- Best value for money Lokaway safe with key locks
- 4 x mounting holes and hardware included
- Unique fixed locking bolt design
- Convertable safe design, standard digital lock with optional key cover so customer can choose to use as a key only safe.



For more options see pg.25/26

**LBA20**



**LBA8****LBA14**

MODEL	SIZE (MM)			SIZE (IN)			WEIGHT		MATERIAL (MM)			MATERIAL (GA)			BOLT SIZE		AVG GUNS	FIRE	
	H	W	D	H	W	D	KGS	LBS	BODY	DOOR	SKINE	BODY	DOOR	SKINE	MM	INCH		MIN @ 1400F	SW/EN
NON FIRE SAFES																			
LBA8	1500	304	304	59	12	12	48	106	2	3	-	14	11	-	-	-	7	-	-
LBA14	1500	430	360	59	17	14	62	137	2	3	-	14	11	-	-	-	10	-	-
LBA20	1500	540	460	59	21	18	79	174	2	3	-	14	11	-	-	-	14	-	-



# LOK Series



Models: LOK1K, 2K, 3K, 4K, LOKDD

- Most advanced anti-pry design on the market
- Best value for money Lokaway safe with key locks
- 4 x mounting holes and hardware included
- Unique fixed locking bolt design

**LOK4KD**



**LOKDDD**



**LOK4KC**



For more options see pg.25/26

**LOK1K****LOK2KD****LOK3KD**

MODEL	SIZE (MM)			SIZE (IN)			WEIGHT		MATERIAL (MM)			MATERIAL (GA)			BOLT SIZE		AVG GUNS	FIRE	
	H	W	D	H	W	D	KGS	LBS	BODY	DOOR	SKINE	BODY	DOOR	SKINE	MM	INCH		MIN @ 1400F	SW/EN
NON FIRE SAFES																			
LOK1K	1500	280	270	59	11	10.6	45	99	2	3	-	14	11	-	-	-	4	-	-
LOK2K	1500	360	340	59	14	13.4	55	121	2	3	-	14	11	-	28	1.1	8	-	-
LOK3K	1500	500	340	59	19.7	13.4	75	165	2	3	-	14	11	-	28	1.1	12	-	-
LOK4K	1500	600	400	59	23.6	15.7	100	220	2	3	-	14	11	-	28	1.1	20	-	-
LOKDD	1500	860	400	59	33.9	15.7	112	247	2	3	-	14	11	-	28	1.1	28	-	-



# LOK Series



Models: LOK4DK, LS1

- Most advanced anti-pry design on the market
- Best value for money Lokaway safe with key locks
- 4 x mounting holes and hardware included
- Unique fixed locking bolt design



**LS1**



For more options see pg.25/26




**LOK4DK**


MODEL	SIZE (MM)			SIZE (IN)			WEIGHT		MATERIAL (MM)			MATERIAL (GA)			BOLT SIZE		AVG GUNS	FIRE	
	H	W	D	H	W	D	KGS	LBS	BODY	DOOR	SKINE	BODY	DOOR	SKINE	MM	INCH		MIN @ 1400F	SW/ EN
NON FIRE SAFES																			
LOK4DK	1500	614	400	59	24.2	15.7	104	229	2	3	-	14	11	-	28	1⅝	16	-	-
LS1	1500	900	550	59	35.4	22	165	364	2	3	-	14	11	-	28	1⅝	30	-	-



# LD Series



Models: L8D, L14D, L20D, L28D, LDDE

- Most advanced anti-pry design on the market
- Steel plate construction
- Best value for money Lokaway safe with digital locks
- 4 x mounting holes and hardware included
- Unique fixed locking bolt design
- Internal lockable boxes standard on select models
- L14D & L20D available as SS 3492 Certified Model Number L14D-SW and L20D-SW






For more options see pg.25/26

**L8D****L28D****L14D**

MODEL	SIZE (MM)			SIZE (IN)			WEIGHT		MATERIAL (MM)			MATERIAL (GA)			BOLT SIZE		AVG GUNS	FIRE	
	H	W	D	H	W	D	KGS	LBS	BODY	DOOR	SKINE	BODY	DOOR	SKINE	MM	INCH		MIN @ 1400F	SW/EN
NON FIRE SAFES																			
L8D	1500	400	380	59	15.7	14.9	62	137	2	3	-	14	11	-	28	1 ⅝	8	-	-
L14D	1500	550	420	59	21.7	16.5	76	168	2	3	-	14	11	-	32	1 ¾	14	-	-
L20D	1500	650	450	59	25.6	17.7	123	271	2	3	-	14	11	-	32	1 ¾	20	-	-
L28D	1500	900	550	59	35.4	21.7	180	397	2	3	-	14	11	-	32	1 ¾	28	-	-
SWEDISH RATED SAFES																			
L14D-SW	1500	550	420	59	21.7	16.5	76	168	4	4	-	9	9	-	28	1 ⅝	12	-	SW
L20D-SW	1500	650	450	59	25.6	17.7	116	256	4	4	-	9	9	-	32	1 ¾	20	-	SW



# LCH Series



Models: LOK3CH, LCH1, LCH2

- Most advanced anti-pry design on the market
- Heavy duty steel plate construction
- Patented internal hinge system
- Multiple interior styles
- Heavy duty internal lockable compartment
- Bearing assisted opening
- Pro-Rack and/or door back pouch system available for select countries
- Open format gun racks for max gun storage capacity





For more options see pg.25/26

**LCH1****LOK3CH**

MODEL	SIZE (MM)			SIZE (IN)			WEIGHT		MATERIAL (MM)			MATERIAL (GA)			BOLT SIZE		AVG GUNS	FIRE	
	H	W	D	H	W	D	KGS	LBS	BODY	DOOR	SKINE	BODY	DOOR	SKINE	MM	INCH		MIN @ 1400F	SW/ EN
NON FIRE SAFES																			
LOK3CH	1500	520	360	59.1	20.5	14.0	112	247	3	6	-	11	4	-	28	1 ⅝	12	-	-
LCH1	1500	600	500	59.1	23.6	19.7	175	386	3	6	-	11	4	-	25	1	18	-	-
LCH2	1500	950	550	59.1	37.4	21.7	220	485	3	6	-	11	4	-	32	1 ¼	30	-	-
SWEDISH RATED SAFES																			
LCH1-SW	1500	600	500	59.1	23.6	19.7	236	521	4	6	-	9	4	-	32	1 ¼	18	-	SW



# LF Series



Models: LF14, LF18, LFDD

- Most advanced anti-pry design on the market
- Our best value for money fire resistant safe
- Patented internal hinge system
- Multiple interior styles and options
- 30 minute fire protection
- Bearing assisted opening
- Unique but simple fixed pin design
- Available as EN 1143 Certified Model Number LF10-EN, LF14-EN, LF18-EN and LFDD-EN

**LF18**





For more options see pg.25/26

LF14




MODEL	SIZE (MM)			SIZE (IN)			WEIGHT		MATERIAL (MM)			MATERIAL (GA)			BOLT SIZE		AVG GUNS	FIRE	
	H	W	D	H	W	D	KGS	LBS	BODY	DOOR	SKINE	BODY	DOOR	SKINE	MM	INCH		MIN @ 1400F	SW/EN
STANDARD FIRE SAFES																			
LF14	1500	560	550	59.1	22.0	21.7	180	397	2	2	-	14	14	-	32	1 ¼	14	60	-
LF18	1500	650	560	59.1	25.6	22.0	197	434	2	2	-	14	14	-	32	1 ¼	18	60	-
LFDD	1500	1020	550	59.1	40.2	21.7	290	639	2	2	-	14	14	-	32	1 ¼	24	60	-



# LFS Series

Models: LF24S, LF32S

- Most advanced anti-pry design on the market
- Our best value for money fire resistant safe
- Patented internal hinge system
- Multiple interior styles and options
- 60 minute fire protection
- Bearing assisted opening
- Massive 1 ¼ active locking pins
- Available as EN 1143 Certified Model Number LF24S-EN and LF32S-EN



LF32S



For more options see pg.25/26



**LF24S**

MODEL	SIZE (MM)			SIZE (IN)			WEIGHT		MATERIAL (MM)			MATERIAL (GA)			BOLT SIZE		AVG GUNS	FIRE	
	H	W	D	H	W	D	KGS	LBS	BODY	DOOR	SKINE	BODY	DOOR	SKINE	MM	INCH		MIN @ 1400F	SW/ EN
DELUXE FIRE SAFES																			
LF24S	1500	782	630	59.1	30.8	24.8	295	650	2.5	2.5	-	13	13	-	32	1 ¼	24	60	-
LF32S	1500	950	630	59.1	37.4	24.8	285	628	2.5	2.5	-	13	13	-	32	1 ¼	32	60	-
LF24S-EN	1500	782	630	59.1	30.8	24.8	384	845	3	3	1.5	12	12	16.0	32	1 ¼	24	75	EN
LF32S-EN	1500	950	630	59.1	37.4	24.8	371	817	3	3	1.5	12	12	16.0	32	1 ¼	32	75	EN



# FR Series

Models: FR1, FR2

- Most advanced anti-pry design on the market
- Our best value for money fire resistant safe
- Patented internal hinge system
- Multiple interior styles and options
- Bearing assisted opening



LOKAWAY

FR2





For more options see pg.25/26



**LOKAWAY**

FR1

MODEL	SIZE (MM)			SIZE (IN)			WEIGHT		MATERIAL (MM)			MATERIAL (GA)			BOLT SIZE		AVG GUNS	FIRE	
	H	W	D	H	W	D	KGS	LBS	BODY	DOOR	SKINE	BODY	DOOR	SKINE	MM	INCH		MIN @ 1400F	SW/EN
PREMIUM FIRE SAFES																			
FR1	1500	790	650	305	31.1	25.6	320	705	3	6	-	12	4	-	38	1 ½	26	-	-
FR2	1500	1011	650	305	39.8	25.6	400	882	3	6	-	12	4	-	38	1 ½	36	-	-



# LFRD Series



Models: LFR26D, LFR36D

- Most advanced anti-pry design on the market
- 9 x active 1 ½ locking bolts
- Patented internal hinge system
- Bearing hinge system
- 75 minute fire protection
- Great security and peace of mind
- Provision for internal power





For more options see pg.25/26

LFR26D


MODEL	SIZE (MM)			SIZE (IN)			WEIGHT		MATERIAL (MM)			MATERIAL (GA)			BOLT SIZE		AVG GUNS	FIRE	
	H	W	D	H	W	D	KGS	LBS	BODY	DOOR	SKINE	BODY	DOOR	SKINE	MM	INCH		MIN @ 1400F	SW/ EN
EXECUTIVE FIRE SAFES																			
LFR26D	1500	790	650	59.1	31.1	25.6	305	672	3	3	-	12	12	-	38	1 ½	26	75	-
LFR36D	1500	1011	650	59.1	39.8	25.6	408	899	3	3	-	12	12	-	38	1 ½	36	75	-



# LH Series

Models: LOK366

- Most advanced anti-pry design on the market
- Steel plate construction
- Patented internal hinge system
- Heavy duty all 1/4" internal lockable compartment
- Fixed door back shelving for storage convenience
- 4 x mounting holes and hardware included
- Unique fixed locking bolt design
- Patented internal locking lugs top and bottom



**LOK366**

MODEL	SIZE (MM)			SIZE (IN)			WEIGHT		MATERIAL (MM)			MATERIAL (GA)			BOLT SIZE		AVG GUNS	FIRE	
	H	W	D	H	W	D	KGS	LBS	BODY	DOOR	SKINE	BODY	DOOR	SKINE	MM	INCH		MIN @ 1400F	SW/EN
LOK366	1500	580	380	59.1	22.8	11	205	452	6	6	-	4	4	-	28	1.1	14	-	-

NON FIRE SAFES



# OPTIONS

Lokaway has a large range of standard Swing 'n' Slide products to choose from. Customization is also available including colours, logo and or a size that is suitable for your market and needs.

## Custom Coating:

Various Powder Coating Finishes and Colours Upon Request (include swatches of the colour options)





# OPTIONS

Lokaway has a large range of standard Swing 'n' Slide products to choose from. Customization is also available including colours, logo and or a size that is suitable for your market and needs.

## Interior:

Various Interior Options Available



## Locks:

Choose from a range of Digital, Key or Branded locks.



## Hardware Styles:

Varying in style, color, size and more.



## Pro-Rack:

Our internal shelving allows you to store additional guns on the door of your safe.

(available in select countries)





**LOKAWAY**  
INNOVATIVE SECURITY



**HOME &  
COMMERCIAL  
SAFES 2020**



# LB Series

Models: LC, LT1

- Most advanced Anti-Pry design on the market
- Best value for money Lokaway safe with key locks
- 4 x mounting holes and hardware included
- Unique fixed locking bolt design



LC



LT1



For more options see pg.36

MODEL	SIZE (MM)			SIZE (IN)			WEIGHT		MATERIAL (MM)			MATERIAL (GA)			BOLT SIZE		FIRE RATING	BOLTS (INCH)
	H	W	D	H	W	D	KGS	LBS	BODY	DOOR	SKINE	BODY	DOOR	SKINE	MM	INCH		
COMMERCIAL SAFES																		
LC	270	360	270	11	14	11	TBA	TBA	1.5	3	-	16	11	-	25	1	-	11/8
LT1	220	500	400	9	19	15	TBA	TBA	1.5	3	-	16	11	-	25	1	-	11/8




# LC Series

Models: LC1, LC2

- Most advanced Anti-Pry design on the market
- High Security and fire resistant home safes
- Heavy duty plate design
- Fixed bolt design



**LC1**



**LC2**

MODEL	SIZE (MM)			SIZE (IN)			WEIGHT		MATERIAL (MM)			MATERIAL (GA)			BOLT SIZE		FIRE RATING	BOLTS (INCH)
	H	W	D	H	W	D	KGS	LBS	BODY	DOOR	SKINE	BODY	DOOR	SKINE	MM	INCH		
COMMERCIAL SAFES																		
LC1	430	360	340	16.9	14.2	13.4	22.6	50	1.5	3	-	17	12	-	25	1.0	-	1
LC2	550	500	340	21.7	19.7	13.4	32	70	1.5	3	-	17	12	-	25	1.0	-	1



# L Series

Models: L16, L66P

- Most advanced Anti-Pry design on the market
- Best value for money Lokaway safe with key locks
- 4 x mounting holes and hardware included
- Unique fixed locking bolt design



L16



L66P



For more options see pg.36

MODEL	SIZE (MM)			SIZE (IN)			WEIGHT		MATERIAL (MM)			MATERIAL (GA)			BOLT SIZE		FIRE RATING	BOLTS (INCH)
	H	W	D	H	W	D	KGS	LBS	BODY	DOOR	SKINE	BODY	DOOR	SKINE	MM	INCH		
COMMERCIAL SAFES																		
L16	250	360	300	9.8	14.2	11.8	18	40	3	6	-	12	4	-	-	-	-	11/8
L66P	350	400	350	13.8	15.7	13.8	29	64	6	6	-	4	4	-	28	1.1	-	11/8



# LCD Series

Models: LCD

- Most advanced Anti-Pry design on the market
- High Security and fire resistant home safes
- Heavy duty plate design
- Fixed bolt design



LCD



MODEL	SIZE (MM)			SIZE (IN)			WEIGHT		MATERIAL (MM)			MATERIAL (GA)			BOLT SIZE		FIRE RATING	BOLTS (INCH)
	H	W	D	H	W	D	KGS	LBS	BODY	DOOR	SKINE	BODY	DOOR	SKINE	MM	INCH		
COMMERCIAL SAFES																		
LCD	598	460	380	23.5	18.1	15.0	59	130	5	10	-	7	000 (3/0)	-	32	1.3	-	11/4



# LF Series



Models: LP6F, LT6F, L26F, L610F

- Most advanced Anti-Pry design on the market
- High security and fire resistant home safes
- Heavy duty plate and fire board design
- 30 minute fire protection
- Anti-drill plate with re-locker system



LP6F

For more options see pg.36



**LT6F****L26F****L610F**

MODEL	SIZE (MM)			SIZE (IN)			WEIGHT		MATERIAL (MM)			MATERIAL (GA)			BOLT SIZE		FIRE RATING	BOLTS (INCH)
	H	W	D	H	W	D	KGS	LBS	BODY	DOOR	SKINE	BODY	DOOR	SKINE	MM	INCH		
COMMERCIAL SAFES																		
LT6F	250	580	400	9.8	22.8	15.7	45	99	3	6	1.5	12	4	16.0	28	1.1	30	11/8
L26F	430	440	380	17	17.3	15	53	117	3	6	-	12	4	-	28	1.8	30	1.1
LP6F	750	640	500	29	25.2	19.7	132	291	3	6	-	12	4	-	28	1.8	30	1.1
L610F	530	470	430	20.9	18.5	16.9	104	229	6	10	-	4	000 (3/0)	-	32	1.3	30	11/4



# LFC Series

Models: LFC1, LFC3

- Most advanced Anti-Pry design on the market
- High Security and fire resistant home safes
- Patented internal hinge system
- 45 minute fire protection
- Unique but simple fixed locking bolt design
- Anti-drill plate with re-locker system



LFC1



For more options see pg.36





The image features three Lokaway fire safes against a stone wall background with a fire effect. A large black safe (LFC3) is shown closed with its digital keypad and a five-pointed star handle. To its left, a smaller black safe (LFC1) is open, revealing internal shelves and a red fire blanket. To the right, a smaller purple safe (LFC1-EN) is also open, showing its interior compartments. A red banner with the text 'LFC3' is positioned over the fire effect on the left.

**LFC3**

MODEL	SIZE (MM)			SIZE (IN)			WEIGHT		MATERIAL (MM)			MATERIAL (GA)			BOLT SIZE		FIRE RATING	BOLTS (INCH)
	H	W	D	H	W	D	KGS	LBS	BODY	DOOR	SKINE	BODY	DOOR	SKINE	MM	INCH		
COMMERCIAL FIRE SAFES																		
LFC1	630	560	508	24.8	22.0	20.0	97	214	3	3	-	12	12	-	32	1.3	60	1 1/4
LFC3	950	616	559	37.4	24.3	22.0	148	326	3	3	-	12	12	-	32	1.3	60	1 1/4
LFC1-EN	630	560	508	24.8	22.0	20.0	126	278	3	3	1.5	12	12	16.0	32	1.3	60	1 1/4
LFC3-EN	950	616	559	37.4	24.3	22.0	192	424	3	3	1.5	12	12	16.0	32	1.3	60	1 1/4



# OPTIONS

Lokaway has a large range of standard Swing 'n' Slide products to choose from. Customization is also available including colours, logo and or a size that is suitable for your market and needs.

## Custom Coating:

Various Powder Coating Finishes and Colours Upon Request (include swatches of the colour options)



## Interior:

Various Interior Options Available




## Locks:

Choose from a range of Digital, Key or Branded locks.



## Hardware Styles:

Varying in style, color, size and more.





**LOKAWAY**  
INNOVATIVE SECURITY



**TOOL & SITE STORAGE  
BOXES 2020**



# LSB Series

Models: LSB3624, LSB4828, LSB4836

- Most advanced Anti-Pry design on the market
- Full welded construction
- Reinforced Anti-Pry door
- Heavy duty skids are standard on these models
- Patented internal hinge design
- Corrosion resistant coating
- Recessed heavy duty lift handles



LSB4836





**LSB3624****LSB4828**

MODEL	SIZE (MM)			SIZE (IN)			WEIGHT		MATERIAL (MM)			MATERIAL (GA)		
	H	W	D	H	W	D	KGS	LBS	BODY	DOOR	SKINE	BODY	DOOR	SKINE
<b>TOOL BOXES</b>														
<b>LSB3624</b>	609	914	508	24.0	36.0	20.0	55	121	2	2	-	16	16	-
<b>LSB4828</b>	711	1219	609	28.0	48.0	24.0	70	154	2	2	-	16	16	-
<b>LSB4836</b>	914	1219	812	36.0	48.0	32.0	100	220	2	2	-	16	16	-



# LSBA Series

Models: LSBA5536

- Most advanced Anti-Pry design on the market
- Full welded construction
- Reinforced Anti-Pry door
- Heavy duty skids are standard on select models shown
- Patented internal hinge design
- Corrosion resistant coating
- Recessed heavy duty lift handles



**LSBA5536**



MODEL	SIZE (MM)			SIZE (IN)			WEIGHT		MATERIAL (MM)			MATERIAL (GA)			BOLT SIZE		FIRE RATING	BOLTS (INCH)
	H	W	D	H	W	D	KGS	LBS	BODY	DOOR	SKINE	BODY	DOOR	SKINE	MM	INCH		
LSBA5536	914	1397	762	36.0	55.0	30.0	100	220	2	2	-	17	17	-	28	1.1	30	11/8


TOOL BOXES



# LSBAD Series

Models: LSBAD4848

- Most advanced Anti-Pry design on the market
- Full welded construction
- Reinforced Anti-Pry door
- Heavy duty skids are standard on select models shown
- Patented internal hinge design
- Corrosion resistant coating
- Recessed heavy duty lift handles



**LSBAD4848**



MODEL	SIZE (MM)			SIZE (IN)			WEIGHT		MATERIAL (MM)			MATERIAL (GA)			BOLT SIZE		FIRE RATING	BOLTS (INCH)
	H	W	D	H	W	D	KGS	LBS	BODY	DOOR	SKINE	BODY	DOOR	SKINE	MM	INCH		
LSBAD4848	1117	1219	762	44.0	48.0	30.0	140	309	2	2	-	17	17	-	28	1.1	30	11/8

TOOL BOXES



# LH5116 Series



Models: LH5116

- Most advanced Anti-Pry design on the market
- Full welded construction
- Reinforced Anti-Pry door
- Heavy duty skids are standard on select models shown
- Patented internal hinge design
- Corrosion resistant coating
- Recessed heavy duty lift handles



**LH5116**

MODEL	SIZE (MM)			SIZE (IN)			WEIGHT		MATERIAL (MM)			MATERIAL (GA)			BOLT SIZE		FIRE RATING	BOLTS (INCH)
	H	W	D	H	W	D	KGS	LBS	BODY	DOOR	SKINE	BODY	DOOR	SKINE	MM	INCH		
LH5116	406	1295	558	16.0	51.0	22.0	56	123	2	2	-	17	17	-	28	1.1	30	11/8

TOOL BOXES



# OPTIONS

Lokaway has a large range of standard Swing 'n' Slide products to choose from. Customization is also available including colours, logo and or a size that is suitable for your market and needs.

## Custom Coating:

Various Powder Coating Finishes and Colours Upon Request (include swatches of the colour options)



## Locks:

Choose from a range of, Key or Branded locks.



## Welded Feet:

All Tool Boxes are fully welded and feature strengthened feet for ease of transport. Our Tool Boxes are designed to be moved utilizing a forklift





# **LOKAWAY**

**INNOVATIVE SECURITY**

**Nothing has changed in  
100 years...**

**Now it has**

