


Features

- Solid steel construction with 3mm steel plate door and 2mm steel plate body. Recessed door with internal hinges.
- Dual locking keyed alike lever locks.
- Separate internal key lockable compartment height: 210mm.
- Floor mat
- Foam gun rack.
- Capacity: holds 4 rifles.
- Mounting: 4 x 15mm mounting holes in back and base.
- Durable powder coated hammertone finish in black.



Specifications

Model	External dimensions (mm)			Internal compartment (mm)			Weight (kgs)
	Height	Width	Depth	Height	Width	Depth	
GS1K	1500	250	250	210	245	168	35

Warranty: 5 year warranty on safe construction, excluding freight and travelling, with a 12 month warranty on locks and moving parts. The safe pictures shown on this brochure are for illustrative purpose only. Weights and dimensions are approximate. We reserve the right to alter specifications without notice or obligation.

Key features


- Constructed from solid 6mm steel plate door and 3mm steel plate body. Recessed door with concealed internal hinges.
- Solid 4mm steel plate constructions for separate internal compartment with lever key lock and dual 20mm solid steel locking bolts. Internal compartment height: 210mm.
- Drill resistant hardened steel plate to protect lock area.
- Foam gun rack and rack for cleaning rod.
- Capacity: Holds 5 rifles.
- 8 x 32mm solid locking bolts (top, bottom and front).
- Chrome plated 3 spoke door handle.
- Full internal carpet lining to walls and back of door.
- Mounting: 4 x 15mm mounting holes in back and base.
- Durable powder coated hammertone finish in black.

Gun safe with digital lock (external)

- Quality UL listed SecuRam electronic digital safe lock.
- Universal lock footprint for easy lock conversion.
- Auxiliary spring-loaded reloading device.
- Programmable master code and user code.
- Battery compartment is located within the keypad housing.
- Errant access lockout feature.

Gun safe with keylock (external)

- Quality Australian made pick-resistant Ross lever key lock.



GS2E

GS2K

Specifications

Model	External lock type	External dimensions (mm)			Internal compartment (mm)			Weight (kgs)
		Height	Width	Depth	Height	Width	Depth	
GS2K	Ross keylock	1500	350	300	210	342	195	76
GS2E	SecuRam digital lock	1500	350	300	210	342	195	76

Depth measurement does not include the handle, keypad or hinges (please allow 50mm). Warranty: 5 year warranty on safe construction, excluding freight and travelling, with a 12 month warranty on locks and moving parts. The safe pictures shown on this brochure are for illustrative purpose only. Weights and dimensions are approximate. We reserve the right to alter specifications without notice or obligation.

Features

- Constructed from all solid 6mm steel plate door and body reinforced with solid steel bar all around front edges. Recessed door with internal hinges.
- Solid 6mm steel plate constructions for separate internal compartment with lever lock and dual 20mm solid steel locking bolts. Internal compartment height: 210mm.
- Drill resistant hardened steel plate to protect lock area.
- Foam gun rack and rack for cleaning rod.
- Capacity: Holds 10 rifles.
- 8 x 32mm solid active locking bolts (top, bottom and front).
- Chrome plated 5 spoke door handle.
- Full internal carpet lining to walls and door.
- Mounting: 4 x 15mm mounting holes in back and base.
- Durable powder coated hammertone finish in black.

Gun safe with digital lock (external)

- Quality UL listed SecuRam electronic digital safe lock.
- Auxiliary spring-loaded reloading device.
- Programmable master code and user code.
- Battery compartment is located within the keypad housing.
- Universal lock footprint for easy lock conversion.
- Errant access lockout feature.

Gun safe with keylock (external)

- Quality Australian made pick-resistant Ross lever key lock.



GS3E

GS3K

Specifications

Model	External lock type	External dimensions (mm)			Internal compartment (mm)			Weight (kgs)
		Height	Width	Depth	Height	Width	Depth	
GS3K	Ross keylock	1500	500	350	210	486	195	169
GS3E	SecuRam digital lock	1500	500	350	210	486	195	169

Depth measurement does not include the handle, keypad or hinges (please allow 50mm). Warranty: 5 year warranty on safe construction, excluding freight and travelling, with a 12 month warranty on locks and moving parts. The safe pictures shown on this brochure are for illustrative purpose only. Weights and dimensions are approximate. We reserve the right to alter specifications without notice or obligation.